J. Dent. 1994; **22**: 381–384

Index

Volume 22, Numbers 1–6, February–December 1994

Authors

Aeppli D *see* Mullally B, 223
Ashton MA, Jones JH and Sarll DW, Factors affecting the role of dental surgery assistants in cross-infection control in dental practice, 349

Bader JD *see* Levitch LC, 195
Benmergui C *see* El-Mowafy OM, 33
Böning K *see* Walter M, 346
Bourke AM, Walls AWG and McCabe JF, Bond strength to dentine of two light-activated glass polyalkenoate (ionomer) cements, 242
Braem M, Lambrechts P and Vanherle G, Clinical relevance of laboratory fatigue studies, 97
Braem M *see* Van Meerbeek B, 141
Brennan DS *see* Spencer AJ, 136
Burke FM and Lynch E, Glass polyalkenoate bond strength to dentine after chemomechanical caries removal, 284
Burns T, Wilson M and Pearson GJ, Killing of cariogenic bacteria by light from a gallium aluminium arsenide diode laser, 273

Carrotte PV, Winstabley RB and Watts A, Report on the Annual Conference of the British Association of Teachers of Conservative Dentistry, 310
Cash AJ *see* Watts DC, 112
Castillo A *see* Gutierrez J, 279
Chadwick RG, Strength–probability–time (SPT) diagram—an adjunct to the assessment of dental materials?, 364
Chan MFW-Y and Glyn Jones JC, The significance of thermal cycling in microleakage analysis of root restorations, 292
Cheung GSP *see* Gale MS, 370
Chiu CH *see* Lee SY, 352
Creugers NHJ *see* Kellett M, 208
Creugers NHJ *see* Plasmans PJJM, 89
Creugers NHJ *see* Verzijden CWGJM, 29
Cross LJ *see* Jenkins WMM, 108

Darbar UR, Huggett R and Harrison A, Stress analysis techniques in complete dentures: a review, 259
Darvell BW *see* Gale MS, 370
Della Bona A and Northeast SE, Shear bond strength of resin bonded ceramic after different try-in procedures, 103
Devlin H, Mellor AC and Worthington HV, Attitudes of dental students towards elderly people, 45
Douglas WH *see* Holtan JR, 92
Dyer RA and Howlett JA, Dimensional stability of denture bases following repair with microwave resin, 236

El-Mowafy OM, Lewis DW, Benmergui C and Levinton C, Meta-analysis on long-term clinical performance of posterior composite restorations, 33
Eliades G, Clinical relevance of the formulation and testing of dentine bonding systems, 73

Gale MS, Darvell BW and Cheung GSP, Three-dimensional reconstruction of microleakage pattern using a sequential grinding technique, 370
Geddes DAM *see* Herrick J, 307
Geis-Gerstorfer J, *In vitro* corrosion measurements of dental alloys, 247
Gilbert AD and Nuttall NM, Knowledge of the human immunodeficiency virus among final year dental students, 229
Gilhooly MLM *see* Herrick J, 307
Glyn Jones JC *see* Chan MFW-Y, 292
Gomez JL *see* Gutierrez J, 279
Greener EH *see* Lee SY, 175, 352
Greener EH *see* Yoshida K, 57, 296
Gutierrez J, Liebana J, Ruiz M, Castillo A and Gomez JL, Action of sodium fluoride on phagocytosis by systemic polymorphonuclear leucocytes, 279

Hardie N *see* Mullally B, 223
Harrison A *see* Darbar UR, 259
Heasman PA and Seymour RA, Pharmacological control of periodontal disease I. Antiplaque agents, 323
Henuag T *see* Nordbø H, 342
Hermsen RJ *see* Plasmans PJJM, 89
Herrick J, Gilhooly MLM and Geddes DAM, Non-attendance at periodontal clinics: forgetting and administrative failure, 307
Heymann HO *see* Levitch LC, 195
Holtan JR, Nystrom GP, Olin PS, Phelps II RA, Phillips JJ and Douglas WH, Bond strength of six dentinal adhesives, 92
Horner K *see* Rushton VE, 213
Horsted-Bindslev P *see* Thordrup M, 147
Horstedt P *see* van Dijken JWV, 265

Howlett JA *see* Dyer RA, 236
Huggett R *see* Darbar UR, 259

Isidor F *see* Thordrup M, 147

Jenkins WMM, Cross LJ and Kinane DF, Cervical marginal fit of proximal amalgam restorations, 108
Jones JH *see* Ashton MA, 349

Kaaber S *see* Ravnholt G, 169
Kellett M, Verzijden CWGJM, Smith GA and Creugers NHJ, A multicentred clinical study on posterior resin-bonded bridges: the 'Manchester trial', 208
Kern M and Thompson VP, Effects of sandblasting and silica coating procedures on pure titanium, 300
Kilpatrick NM, McCabe JF and Murray JJ, Factors that influence the setting characteristics of encapsulated glass ionomer cements, 182
Kinane DF *see* Jenkins WMM, 108

Lambrechts P *see* Braem M, 97
Lambrechts P *see* Van Meerbeek B, 141
Lee S-Y and Greener EH, Effect of excitation energy on dentine bond strength and composite properties, 175
Lee S-Y, Greener EH, Mueller HJ and Chiu C-H, Effect of food and oral simulating fluids on dentine bond and composite strength, 352
Levinton C *see* El-Mowafy OM, 33
Levitch LC, Bader JD, Shugars DA and Heymann HO, Non-carious cervical lesions, 195
Lewis DW *see* El-Mowafy OM, 33
Liebana J *see* Gutierrez J, 279
Lumley PJ, Walmsley AD and Marquis PM, Effect of air inlet ring opening on sonic handpiece performance, 376
Lynch E *see* Burke FM, 284

Macpherson LC and Smith BGN, Replacement of missing cusps: in an *in vitro* study, 118
Marquis PM *see* Lumley PJ, 376
McCabe JF *see* Bourke AM, 242
McCabe JF *see* Kilpatrick NM, 182
Mellor AC *see* Devlin H, 45
Meyer J-M *see* Reclaru L, 159
Meyer J-M, Specifications: are they aiming inthe right direction?, 131
Mueller HJ *see* Lee SY, 352
Mullally B, Wolff L, Hardie N, Aeppli D and Pihlstrom B, Effect of gingival fluid collection on subgingival plaque sampling, 223
Murray JJ *see* Kilpatrick NM, 182

Nakabayashi N *see* Watanabe I, 67
Nordbø H, Rygh-Thoresen N and Henaug T, Clinical performance of porcelain laminate veneers without incisal overlapping: 3-year results, 342
Northeast SE *see* Della Bona A, 103
Northeast SE, van Noort R and Shaglouf AS, Tensile peel failure of resin-bonded Ni/Cr beams: an experimental and finite element study, 252
Nuttall NM *see* Gilbert AD, 229
Nystrom GP *see* Holtan HR, 92

Olin PS *see* Holtan JR, 92

Pashley DH *see* Prati C, 49
Pearson GJ *see* Burns T, 273
Phillips JJ *see* Holtan JR, 92
Phelps II RA *see* Holtan JR, 92
Pihlstrom B *see* Mullally B, 223
Plasmans PJJM, Creugers NHJ, Hermsen RJ and Vrijhoef MMA, Intraoral humidity during operative procedures, 89
Prati C, What is the clinical relevance of *in vitro* dentine permeability tests?, 83
Prati C, Tao L, Simpson M and Pashley DH, Permeability and microleakage of Class II resin composite restorations, 49

Ravnholt G and Kaaber S, Surface roughness of oral mucosa and its reproduction in dental materials, 169
Reclaru L and Meyer J-M, Study of corrosion between a titanium implant and dental alloys, 159
Reppel P-D *see* Walter M, 346
Ruiz M *see* Gutierrez J, 279
Rushton VE and Horner K, A laboratory evaluation of four quality control devices for radiographic processing, 213
Rygh-Thoresen N *see* Nordbø H, 342

© 1994 Butterworth-Heinemann Ltd.
0300–5719/94/060381–04

Sartl DW *see* Ashton MA, 349
Seymour RA *see* Heasman PA, 323
Shaglouf AS *see* Northeast SE, 252
Shugars DA *see* Levitch LC, 195
Simpson M *see* Prati C, 49
Smith BGN *see* Macpherson LC, 118
Smith DC and Vanherle G, State of the art of direct posterior filling materials and dentine bonding, 121
Smith GA *see* Kellett M, 208
Spencer AJ, Brennan DS and Szuster FSP, Changing provision of restorative services in Australia, 136
Szuster FSP *see* Spencer AJ, 136

Tao L *see* Prati C, 49
Thompson VP *see* Kern M, 300
Thordrup M, Isidor F and Horsted-Bindslev P, Comparison of marginal fit and microleakage of ceramic and composite inlays. An *in vitro* study, 147

Urquhart E, Analgesic agents and strategies in the dental pain model, 336

van Dijken JWV and Horstedt P, Marginal breakdown of fired ceramic inlays cemented with glass polyalkenoate (ionomer) cement or resin composite, 265
Van Meerbeek B, Braem M, Lambrechts P and Vanherle G, Morphological characterization of the interface between resin and sclerotic dentine, 141
van Noort R *see* Northeast SE, 252
Van't Hof MA *see* Verzijden CWGJM, 29
Vanherle G *see* Braem M, 97
Vanherle G *see* Smith DC, 121
Vanherle G *see* Van Meerbeek B, 141
Verzijden CWGJM *see* Kellett M, 208
Verzijden CWGJM, Creugers NHJ and Van't Hof MA, A meta-analysis of two different trials on posterior resin-bonded bridges, 29
Vrijhoef MMA *see* Plasmans PJJM, 89

Walls AWG *see* Bourke AM, 242
Walmsley AD *see* Lumley PJ, 376
Walter M, Böning K and Reppel P-D, Clinical performance of machined titanium restorations, 346
Watanabe I and Nakabayashi N, Measurement methods for adhesion to dentine: the current status in Japan, 67
Watts A *see* Carrotte PV, 310
Watts DC, Elastic moduli and visco-elastic relaxation, 154
Watts DC and Cash AJ, Analysis of optical transmission by 400–500 nm visible light into aesthetic dental biomaterials, 112
Wilson M *see* Burns T, 273
Winstabley RB *see* Carrotte PV, 310
Wolff L *see* Mullally B, 223
Woolford MJ, Effect of radiant heat on the surface hardness of glass polyalkenoate (ionomer) cement, 360
Worthington HV *see* Devlin H, 45

Yoshida K and Greener EH, Effects of coupling agents on mechanical properties of metal oxide-polymethacrylate composites, 57
Yoshida K and Greener EH, Effect of photo-initiator on degree of conversion of unfilled light-cured resin, 296

Subjects

Abrasion
  cervical, erosion, tooth flexure, 195
Acrylic resin
  dental stone, oral mucosa, separating media, surface roughness, 169
  microwave, repair, 236
Adhesion
  dentine, review, tensile, shear, 67
  light activation, glass polyalkenoate (ionomer) cements, bond strength, 242
Alloys
  corrosion, 247
Aluminium disulphonated phthalocyanine
  photosensitization, bacteria, caries, laser, 273
Amalgam
  restorations, marginal adaptation, 108
Amalgams
  restorative services, service-mix, 136
Analgesic agents
  dental pain, 336
Anticalculus
  antiplaque, periodontal disease, 323
Antiplaque
  anticalculus, periodontal disease, 323
Attitude of health personnel
  geriatric dentistry, education, 45

Bacteria
  photosensitization, aluminium disulphonated phthalocyanine, caries, laser, 273
Biocompatibility
  specifications, medical devices, 131
Bond strength
  dentine, dentine adhesives, 92
  glass polyalkenoate cement, chemomechanical preparation, caries, 284
  light activation, glass polyalkenoate (ionomer) cements, adhesion, 242
Bonding
  permeability, microleakage, Class II, composites, 49
Bridges
  resin bonded, silicate coating, 208
Bridgework (resin-bonded)
  peel stress, finite element analysis, resin composites, 252

Camphorquinone
  degree of conversion (DC), reducing agent, unfilled resin, 296
Caries
  glass polyalkenoate cement, bond strength, chemomechanical preparation, 284
  photosensitization, aluminium disulphonated phthalocyanine, bacteria, laser, 273
Ceramic
  inlays, luting, glass polyalkenoate (ionomer) cement, resin composite, 265
  resin composites, shear bond strength, try-in, 103
Ceramic inlays
  composite inlays, marginal fit, microleakage, 147
Ceramics
  dental materials, prosthodontics, titanium, 346
  resin composites, glass polyalkenoate (ionomer) cements, dentine optical transmission, 112
Cervical
  erosion, abrasion, tooth flexure, 195
Chemomechanical preparation
  glass polyalkenoate cement, bond strength, caries, 284
Class II
  permeability, microleakage, composites, bonding, 49
Clinical correlations
  dentine bonding systems, properties, 73
  resin composites, fatigue testing, 97
Clinical performance
  porcelain veneers, preparation, 342
  posterior composites, meta-analysis, 33

Compliance
  non-attendance, periodontal clinics, 307
Composite
  dentine bonding agent, SEM, diffusivity, strength, 352
  excitation energy, dentine bonding agent, 175
Composite inlays
  ceramic inlays, marginal fit, microleakage, 147
Composites
  dental materials, microleakage, interfaces, dentine bonding agents, 370
  elastic modulus, visco-elasticity, 154
  permeability, microleakage, Class II, bonding, 49
Conference report
  conservative dentistry, 310
Conservative dentistry
  conference report, 310
Corrosion
  gold-based alloys, palladium-based alloys, 159
  alloys, 247
Coupling agent
  metal oxide-polymethacrylate composite, mechanical properties, 57
Cross-infection
  human immunodeficiency virus, dental students' knowledge, 229
Cross-infection control
  dental surgery assistant, 349

Degree of conversion (DC)
  camphorquinone, reducing agent, unfilled resin, 296
Dental materials
  ceramics, prosthodontics, titanium, 346
  microleakage, interfaces, composites, dentine bonding agents, 370
  Weibull analysis, SPT diagrams, 364
Dental pain
  analgesic agents, 336
Dental plaque
  periodontal diseases, sampling, gingival crevicular fluid, 223
Dental stone
  acrylic resin, oral mucosa, separating media, surface roughness, 169
Dental students' knowledge
  cross-infection, human immunodeficiency virus, 229
Dental surgery assistant
  cross-infection control, 349
Dentine bonding agent
  composite, SEM, diffusivity, strength, 352
Dentine
  adhesion, review, tensile, shear, 67
  dentine adhesives, bond strength, 92
  dentine bonding systems, smear layer, 83
Dentine adhesives
  dentine, bond strength, 92
Dentine bonding
  posterior composites, 121
  sclerotic dentine, SEM, 141
Dentine bonding agent
  excitation energy, composite, 175
Dentine bonding agents
  dental materials, microleakage, interfaces, composites, 370
Dentine bonding systems
  dentine, smear layer, 83
  properties, clinical correlations, 73
Dentine optical transmission
  resin composites, glass polyalkenoate (ionomer) cements, ceramics, 112
Dentures
  stress analysis, techniques, review, 259
Diffusivity
  dentine bonding agent, composite, SEM, strength, 352

EDS analysis
  sandblasting, silica coating, titanium, volume loss, 300

Education
  attitude of health personnel, geriatric dentistry, 45
Elastic modulus
  visco-elasticity, composites, 154
Endodontics
  sonic, 376
Eosin
  microleakage, thermal cycling, root restorations, 292
Erosion
  cervical, abrasion, tooth flexure, 195
Excitation energy
  dentine bonding agent, composite, 175

Fatigue testing
  resin composites, clinical correlations, 97
Finite element analysis
  bridgework (resin-bonded), peel stress, resin composites, 252

Galvanic couple
  titanium implant, corrosion, gold-based alloys, palladium-based alloys, 159
Geriatric dentistry
  attitude of health personnel, education, 45
Gingival crevicular fluid
  periodontal diseases, dental plaque, sampling, 223
Glass ionomer cements
  setting reaction, 182
Glass polyalkenoate
  materials, heat, surface, 360
Glass polyalkenoate cement
  bond strength, chemomechanical preparation, caries, 284
Glass polyalkenoate (ionomer) cement
  inlays, ceramic, luting, resin composite, 265
Glass polyalkenoate (ionomer) cements
  light activation, bond strength, adhesion, 242
  resin composites, ceramics, dentine optical transmission, 112
Gold-based alloys
  titanium implant, corrosion, galvanic couple, palladium-based alloys, 159

Heat
  materials, glass polyalkenoate, surface, 360
Human immunodeficiency virus
  cross-infection, dental students' knowledge, 229

Inlays
  ceramic, luting, glass polyalkenoate (ionomer) cement, resin composite, 265
Interfaces
  dental materials, microleakage, composites, dentine bonding agents, 370
Intraoral
  relative humidity, rubber dam, 89

Laser
  photosensitization, aluminium disulphonated phthalocyanine, bacteria, caries, 273
Light activation
  glass polyalkenoate (ionomer) cements, bond strength, adhesion, 242
Luting
  inlays, ceramic, glass polyalkenoate (ionomer) cement, resin composite, 265

Marginal adaptation
  restorations, amalgam, 108
Marginal fit
  ceramic inlays, composite inlays, microleakage, 147
Materials
  heat, glass polyalkenoate, surface, 360
Mechanical properties
  metal oxide-polymethacrylate composite, coupling agent, 57
Medical devices
  specifications, biocompatibility, 131
Meta-analysis
  posterior composites, clinical performance, 33
  resin-bonded bridgework, multi-centred clinical trial, 29
Metal oxide-polymethacrylate composite
  coupling agent, mechanical properties, 57
Microleakage
  ceramic inlays, composite inlays, marginal fit, 147
  dental materials, interfaces, composites, dentine bonding agents, 370
  permeability, Class II, composites, bonding, 49
  thermal cycling, root restorations, eosin, 292
Microwave
  acrylic resin, repair, 236
Multicentred clinical trial
  resin-bonded bridgework, meta-analysis, 29

Non-attendance
  compliance, periodontal clinics, 307

Oral mucosa
  acrylic resin, dental stone, separating media, surface roughness, 169
Oral streptococci
  phagocytosis, polymorphonuclear, sodium fluoride, 279

Palladium-based alloys
  titanium implant, corrosion, galvanic couple, gold-based alloys, 159
Peel stress
  bridgework (resin-bonded), finite element analysis, resin composites, 252
Periodontal clinics
  non-attendance, compliance, 307
Periodontal disease
  antiplaque, anticalculus, 323
Periodontal diseases
  dental plaque, sampling, gingival crevicular fluid, 223
Permeability
  microleakage, Class II, composites, bonding, 49
Phagocytosis
  oral streptococci, polymorphonuclear, sodium fluoride, 279
Photosensitization
  aluminium disulphonated phthalocyanine, bacteria, caries, laser, 273
Polymorphonuclear
  oral streptococci, phagocytosis, sodium fluoride, 279
Porcelain veneers
  clinical performance, preparation, 342
Posterior composites
  clinical performance, meta-analysis, 33
  dentine bonding, 121
Preparation
  porcelain veneers, clinical performance, 342
Properties
  dentine bonding systems, clinical correlations, 73
Prosthodontics
  ceramics, dental materials, titanium, 346

Quality assurance
  radiography, 213

Radiography
  quality assurance, 213
Reducing agent
  camphorquinone, degree of conversion (DC), unfilled resin, 296
Relative humidity
  intraoral, rubber dam, 89
Repair
  acrylic resin, microwave, 236
Resin bonded
  bridges, silicate coating, 208
Resin composite
  inlays, ceramic, luting, glass polyalkenoate (ionomer) cement, 265
Resin composites
  bridgework (resin-bonded), peel stress, finite element analysis, 252
  ceramic, shear bond strength, try-in, 103
  fatigue testing, clinical correlations, 97
  glass polyalkenoate (ionomer) cements, ceramics, dentine optical transmission, 112
Resin-bonded bridgework
  multicentred clinical trial, meta-analysis, 29
Restorations
  amalgam, marginal adaptation, 108
Restorative services
  service-mix, amalgams, 136
Review
  adhesion, dentine, tensile, shear, 67
  dentures, stress analysis, techniques, 259
Root restorations
  microleakage, thermal cycling, eosin, 292
Rubber dam
  relative humidity, intraoral, 89

Sampling
  periodontal diseases, dental plaque, gingival crevicular fluid, 223
Sandblasting
  EDS analysis, silica coating, titanium, volume loss, 300
Sclerotic dentine
  dentine bonding, SEM, 141
SEM
  dentine bonding, sclerotic dentine, 141
  dentine bonding agent, composite, diffusivity, strength, 352
Separating media
  acrylic resin, dental stone, oral mucosa, surface roughness, 169
Service-mix
  restorative services, amalgams, 136
Setting reaction
  glass ionomer cements, 182
Shear
  adhesion, dentine, review, tensile, 67
Shear bond strength
  ceramic, resin composites, try-in, 103
Silica coating
  EDS analysis, sandblasting, titanium, volume loss, 300
Silicate coating
  resin bonded, bridges, 208
Smear layer
  dentine, dentine bonding systems, 83
Sodium fluoride
  oral streptococci, phagocytosis, polymorphonuclear, 279
Sonic
  endodontics, 376
Specifications
  biocompatibility, medical devices, 131
SPT diagrams
  dental materials, Weibull analysis, 364
Strength
  dentine bonding agent, composite, SEM, diffusivity, 352
Stress analysis
  dentures, techniques, review, 259
Surface
  materials, heat, glass polyalkenoate, 360
Surface roughness
  acrylic resin, dental stone, oral mucosa, separating media, 169

Techniques
dentures, stress analysis, review, 259
Tensile
adhesion, dentine, review, shear, 67
Thermal cycling
microleakage, root restorations, eosin, 292
Titanium
EDS analysis, sandblasting, silica coating, volume loss, 300
ceramics, dental materials, prosthodontics, 346
Titanium implant
corrosion, galvanic couple, gold-based alloys, palladium-based alloys, 159
Tooth flexure
cervical, erosion, abrasion, 195
Try-in
ceramic, resin composites, shear bond strength, 103
Unfilled resin
camphorquinone, degree of conversion (DC), reducing agent, 296
Visco-elasticity
elastic modulus, composites, 154
Volume loss
EDS analysis, sandblasting, silica coating, titanium, 300
Weibull analysis
dental materials, SPT diagrams, 364

List of Referees

The Editor and Publishers of the *Journal of Dentistry* would like to thank the following referees for their help and advice in assessing manuscripts submitted to the Journal during 1994:

Dr Y.E.Y. Aboush, UK
Dr R. P. Allaker, UK
Dr J. M. Albondar, Norway
Dr K. J. Anusavice, USA
Dr C. J. Arcoria, USA
Dr J. Arends, The Netherlands
Prof E. Asmussen, Denmark

Dr D. Bales, USA
Dr W. W. Barkmeier, USA
Prof R. M. Basker, UK
Dr M. Bassiouny, USA
Dr D. K. Benn, UK
Prof I. Bennington, UK
Prof E. Berg, Norway
Dr U. E. M. Berggren, Sweden
Prof A. S. Blinkhorn, UK
Prof A. Boyde, UK
Prof M. Braden, UK
Prof M. Braem, Belgium
Dr M. Branstrom, Sweden
Prof R. M. Brown, UK
Dr D. Brown, UK
Dr F. J. T. Burke, UK

Dr B. Causton, UK
Prof S. Challacombe, UK
Mr N. P. Chandler, New Zealand
Dr R. Clarke, UK
Mr J. S. Clyde, UK
Dr B. Collaert, Belgium
Dr W. D. Cooke, Australia
Prof E. C. Combe, USA
Mr D. Craig, UK
Dr N. H. J. Creugers, The Netherlands
Dr L. Cunningham, UK
Mr J. Cunningham, UK
Mr R. R. Curtis, UK
Dr M. A. Curtis, UK
Prof M. Curzon, UK

Dr J. C. Davenport, UK
Prof C. L. Davidson, The Netherlands
Prof M. Y. Degrange, France
Dr M. Dixon, UK
Dr I. L. Dogon, USA
Prof A. Dolby, UK
Prof W. H. Douglas, USA
Prof M. Downer, UK
Dr D. Drucker
Dr J. L. Drummond
Dr P. Dummer, UK
Dr S. Dunne, UK
Dr A. J. Duxbury, UK

Dr R. Eade, UK
Prof W. M. Edgar, UK
Prof R. J. Elderton, UK
Dr G. Eliades, Greece
Dr O. El-Mowafy, Canada
Dr H. Evers, Sweden

Dr P. L. Fan, USA
Dr A. Feilzer, The Netherlands
Prof O. Fejerskov, Denmark
Dr D. Ferguson, UK
Dr J. L. Ferracane, USA
Dr A. Field, UK
Prof J. W. Frame, UK

Dr A. J. de Gee, The Netherlands
Dr J. Geis-Gerstorfer, Germany
Mr H. D. Glenwright, UK
Dr J. C. Glyn-Jones, UK
Mr R. Gray, UK
Prof R. M. Green, UK
Prof E. H. Greener, USA
Prof A. Grieve, UK
Mr R. Grundy, UK
Ms L. Gutteridge, UK
Dr A. J. Gwinnett, USA

Prof U. Hagg, Hong Kong
Prof J. M. Hardie, UK
Prof A. Harrison, UK
Prof E. Hausmann, USA
Dr P. A. Heasman, UK
Dr J. R. Heath, UK
Mr F. Hill, UK
Dr G. Hoad-Reddick, UK
Prof J. Hobkirk, UK
Dr P. Hobson, UK
Dr B. Hojjatie, USA
Dr R. Holland, USA
Dr P. Holbrook, Iceland
Prof P. J. Holloway, UK
Dr J. A. A. Hood, New Zealand
Mr W. A. Hopwood, UK
Mr K. Horner, UK
Prof P. Horsted-Bindslev, Denmark
Dr A. Howat, UK
Dr R. Huggett, UK
Mr P. S. Hull, UK
Dr P. Hurst, USA
Mr D. Hussey, UK

Mr R. Ibbetson, UK
Dr C. R. Irwin, UK

Mr P. Jacobsen, UK
Mr R. G. Jagger, UK
Mr N. M. Jedynakiewicz, USA
Dr M. Jeffcoat, UK
Dr I. W. M. Jeffries, UK
Dr C. Jenkins, UK
Prof R. B. Johns, UK
Prof J. H. Jones, UK
Dr S. Joyston, Bechal, UK

Prof A. F. Kayser, The Netherlands
Mr M. G. D. Kelleher, UK
Dr M. Kellett, UK
Dr E. A. Kidd, UK
Dr D. R. Kinane, UK
Prof C. Knellesen, France
Prof G. Koch, Sweden
Dr M. Kowolik, USA
Dr I. Krejci, Switzerland
Dr H. G. Kurer, UK

Prof P. Lambrechts, Belgium
Dr M. J. Larsen, Denmark
Dr E. Lautenschlager, USA
Dr H. Letzel, The Netherlands
Dr R. Liberman, Israel
Mr P. R. Likeman, UK
Dr S. J. E. Lindsay, UK
Dr C. Lloyd, UK
Dr P. Lovell, UK
Mr J. C. Lowry, UK
Prof F. Lutz, Switzerland
Dr E. Lynch, UK

Prof R. D. MacDonald, UK
Prof T. W. MacFarlane, UK
Dr L. Mair, UK
Mr R. D. Manderson, UK
Dr P. Marquis, UK
Dr M. V. Martin, UK
Mr D. M. Martin, UK
Mr C. Maryan, UK
Prof B. Matthews, UK
Dr J. F. McCabe, UK
Dr D. McComb, Canada
Prof D. McGowan, UK
Prof A. R. McGregor, UK
Dr J. W. McLean, UK
Mr T. McPhee, UK
Mr J. G. Meechan, UK
Dr S. Meryon, UK
Prof J. M. Meyer, Switzerland
Dr R. Miles, UK
Dr K. Miller, UK
Prof I. Mjor, USA
Dr T. Modeér, Sweden
Dr G. H. Moody, UK
Prof B. K. Moore, USA
Dr H. Mornstad, Sweden
Dr C. Munksgaard, Denmark
Dr W. Murphy, UK
Prof J. J. Murray, UK

Dr D. Nathanson, USA
Dr J. Nicholson, UK
Dr S. Newman, USA
Dr M. Noack, Germany
Dr S. Northeast, UK

Dr H. Ogura, Japan
Dr G. Oilo, Norway
Prof D. O'Mullane, Ireland
Dr J. W. Osborne, USA

Dr C. J. Palenik, USA
Dr D. H. Pashley, USA
Dr S. Parker, UK
Prof R. C. Paterson, UK
Dr G. Pearson, UK
Dr M. R. C. B. Peters, The Netherlands
Dr L. G. Peterson, Sweden
Dr A. Peutzfeldt, Denmark
Dr V. Piddock, UK
Prof N. B. Pitts, UK
Dr P. Plasmans, The Netherlands
Prof C. Prati, Italy
Dr S. Porter, UK

Miss A. Qualtrough, UK
Dr A. A. Quayle, UK

Mr J. P. Ralph, UK
Dr G. Ravnholt, Denmark
Dr N. J. Ray, Ireland
Dr J. Rees, UK
Dr S. Richmond, UK
Prof C. Robinson, UK
Dr G. Robinson, UK
Dr P. Rock, UK
Dr G. Rölla, Norway
Prof J. P. Rood, UK
Prof P. S. Rothwell, UK
Prof J-F. Roulet, Germany
Dr A. Rugg-Gunn, UK
Mr C. Russell, UK

Dr E. Saunders, UK
Prof W. B. Saunders, UK
Dr U. Schröder, Sweden
Prof J. Scott, UK
Prof C. Scully, UK
Mr A. J. Segal, UK
Mr D. J. Setchell, UK
Dr J. C. Setcos, UK
Dr R. Seymour, UK
Dr H. N. Shah, Canada
Prof D. Shanley, UK
Mr M. J. Shaw, UK
Prof W. C. Shaw, UK
Dr C. Sheets, USA
Dr P. Shellis, UK
Dr M. Sherriff, UK
Prof A. Sheiham, UK
Prof J. Shepherd, UK
Prof H. T. Shillingburg, USA
Dr A. Shortall, UK
Dr C. A. Shuttleworth, UK
Dr R. J. Simonsen, USA
Prof P. Sloan, UK
Prof F. Smales, UK
Mr E. Smart, UK
Prof B. G. N. Smith, UK
Prof D. C. Smith, Canada
Mr G. A. Smith, UK
Dr J. A. Sofaer, UK
Prof D. Stafford, UK
Prof C. Stephens, UK
Dr R. Strang, UK
Prof G. Sundkvist, Sweden

Mr M. Tay, UK
Dr A. Tegelberg, Sweden
Dr V. Thompson, USA
Prof M. Thornhill, UK
Dr M. J. Tyas, Australia

Dr P. F. Van der Stelt, The Nethelands
Dr J. W. V. Van Dijken, Sweden
Prof G. Vanherle, Belgium
Dr E. H. Verdonschot, The Netherlands
Dr M. M. A. Vrijhoef, France

Dr A. W. G. Walls, UK
Dr J. D. Walters, UK
Prof R. E. Walton, USA
Dr R. W. Wassell, UK
Prof N. E. Waters, UK
Prof R. M. Watson, UK
Dr A. B. Watts, UK
Dr T. Watts, UK
Prof J. Weatherall, UK
Dr S. Wendt, USA
Dr P. R. Wesselink, The Netherlands
Dr A. Wenzel, Belgium
Dr R. Welbury, UK
Dr J. Whitters, UK
Dr A. Wilder, USA
Dr K. Williams, UK
Prof D. F. Williams, UK
Dr J. M. A. Wilton, USA
Prof G. Winter, UK
Dr M. A. Wilson, UK
Gp Cpt G. Wilson, UK
Mr M. Wise, UK
Mr M. Woolford, UK
Dr H. Worthington, UK
Dr P. S. Wright, UK

Prof R. Yemm, UK

Prof G. A. Zarb, Canada